

Junction Box


Model: B5-IP68



Specifications:

- Housing material: Stainless steel
- IP rating: IP68
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 metal connectors
- Installation size: 4- ϕ 7mm
- Mounting hole center: 35-168mm
- Dimension: 192x124x43mm
- Optional: *Explosion-proof model / Lightning Protection model*

Dimension(mm):



Direction A

Scan this QR Code:



Junction Box


Model: B5



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Installation size: 4- ϕ 7mm
- Mounting hole center: 20mmx160-165mm
- Dimension: 175x91x42mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box

Model: A5P




Specifications:

- Housing material: Plastic
- IP rating: IP65
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 155-160mm
- Dimension: 180x65x43mm
- Optional: *Lightning Protection model / HUMMEL Connectors*

Scan this QR Code:



Dimension(mm):



Junction Box

Model: A5P-IP68




Specifications:

- Housing material: Plastic
- IP rating: IP68
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Install Dimension: 4- ϕ 7mm ϕ
- Mounting hole center: 155-160mm
- Dimension: 179x68x40mm
- Optional: *Lightning Protection model*

Scan this QR Code:



Dimension(mm):



Junction Box

Model: A5P-1




Specifications:

- Housing material: Plastic
- IP rating: IP67
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Installation size: 4- ϕ 7mm
- Dimension: 176x66x42mm
- Optional: *Lightning Protection model / HUMMEL Connectors*

Scan this QR Code:



Dimension(mm):



Junction Box


Model: A5-1



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Install Dimension: 2- ϕ 7mm
- Mounting hole center: 150-155mm
- Dimension: 174x60x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C5



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 208x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C7



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max load cell quantity: 6
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 208x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C9



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max load cell quantity: 8
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 208x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C11



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max load cell quantity: 10
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-175mm
- Dimension: 240x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C5P



Specifications:

- Housing material: Plastic
- IP rating: IP66
- Max load cell quantity: 4
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 210x167x68mm
- Optional: *HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C7P



Specifications:

- Housing material: Plastic
- IP rating: IP66
- Max load cell quantity: 6
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 210x167x68mm
- Optional: *HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:



Junction Box


Model: C9P



Specifications:

- Housing material: Plastic
- IP rating: IP66
- Max load cell quantity: 8
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 210x167x68mm
- Optional: *HUMMEL Connectors*

Dimension(mm):



Scan this QR Code:

